



Supplemental Figure S1




Supplemental Figure S1. A representative unedited figure for Figure 1A.

Supplemental Figure S2




Supplemental Figure S2. A representative unedited figure for Figure 1B.

Supplemental Figure S3




Supplemental Figure S3. A representative unedited figure for Figure 2D.

Supplemental Figure S4




Supplemental Figure S4. A representative unedited figure for Figure 3B.

Supplemental Figure S5



Supplemental Figure S5. A representative unedited figure for Figure 4A.

Supplemental Figure S6



Supplemental Figure S6. A representative unedited figure for Figure 5A.

Supplemental Table 1.

Gene Name	Gene Symbol	Species	Primer Sequence (5'-3')	Amplicon Size (bp)
Epithelial cell adhesion molecule	<i>EpCAM</i>	<i>Mus musculus</i>	Forward: TGGTGTCATTAGCAGTCATCG Reverse: GGCATTAAGCTCTCTGTGGAT	122
Albumin	<i>Alb</i>	<i>Mus musculus</i>	Forward: GAAGTGCTCCAGTATGCAGAA Reverse: ACTTTGGTCAGGTCTGTTGC	129
TATA-binding protein	<i>Tbp</i>	<i>Mus musculus</i>	Forward: TGTATCTACCGTGAATCTTGGC Reverse: CCAGAACTGAAAATCAACGCAG	148

Supplemental Table 1. List of cell-type specific primers used in PCR amplification.